

2. Component types

A Component type is a template for a single block, that can be displayed by the CMS.

Entity [advanced](#) [deploy live](#) [show live](#) [messages](#) [wizards](#) [changes](#)

Name	Component Type (componenttypes)
Description	
Default status	Active
State	Deployed live
Active	✓

Entity fields [add](#) [edit](#)

A	S	Field	Data type	Resume	In list	Sublist	Primary	Validate	Default	Block	Page
✓	✓	Name	Text	✓	✓	○	○	✓		Default	
✓	✓	Template	Code editor	○	○	○	○	○		Default	
✓	✓	Tags	Text	○	✓	○	○	○	TITLE CLASSES CACHEOUTPUT	Default	
✓	✓	Preview	Pictures	○	○	○	○	○		Default	

Entity status [add](#) [flowchart](#)

A	ID	Status	Final	Depend	Flows	Routings	Level	Actions
✓	5	Active	○	0	0	0	0	0
✓	6	Deleted	✓	0	0	0	0	0

Entity permissions [add](#) [edit](#)

Group	Status	Block	READ	WRITE
Administrators			✓	✓

A component type is composed of 4 attributes:

The name

Just the name shown in the dropdown, when selecting a component type for a page component.

The tags

A list of system names for the fields that are used in the template.

To disable caching of a component type, remove CACHEOUTPUT from the tags, and the field won't be available on those page components.

The preview image

A sample image, that will be shown when selecting the component type for a page component.

The template

Either:

An ID of an HTML template, defined as a template in the designer.

The raw HTML template.

Revision #4

Created 15 October 2026 08:09:59 by Theis Villumsen

Updated 15 October 2026 12:37:46 by Theis Villumsen