

StatusAction

- SignNemIdActionStatus
- SignNemIdActionStatusGenerator
- ChangeParentStatusAction
- Set Date On Status

SignNemIdActionStatus

What it does

1. Send a document from a document field to signing with NemID.
2. The user will be notified via email containing a link for where to sign the document
3. When signing a document is generated including a NemID signature
4. After signing the documents saved in the same field carrying the postfix `_signed`

How to set up

Add a status action and set the codeunit Classname to:

dk.tempusserva.signing.nemid.SignNemIdActionStatus

Set the following entity configurations

- **Signer.FieldFil** Field NAME containing the file to be signed
- **Signer.FieldFilID** Field ID containing the file to be signed
- **Signer.FieldEmail** Field NAME containing the email of the signer
- **Signer.FieldCPR** Reserved for future use (specify any field)
- **Signer.ServerToken** Code to connect to the server (ask your TS contact)
- **Signer.StatusError** StatusID to set on the data if failed
- **Signer.StatusSigned** StatusID to set on the data if succes
- **Signer.EmailSubject** Header on the email sent to the signer
- **Signer.EmailBody** Content of the email sent to the signer

Developer info

- Type: CodeunitStatusaction
- Security: none
- Classpath: dk.tempusserva.signing.nemid.SignNemIdActionStatus

SignNemIdActionStatusGenerator

What it does

1. Generates a document based on a defined template
2. Send a document from a document field to signing with NemID.
3. The user will be notified via email. The message contains a link to where to sign the document
4. When signing a document is generated including a NemID signature
5. After signing, the document is saved in the same field carrying the postfix `_signed`

All steps after 1 are the same as [SignNemIdActionStatus](#)

How to setup

Add a status action and set the codeunit Classname to:

dk.tempusserva.signing.nemid.SignNemIdActionStatusGenerator

Set the following entity configurations (same as [SignNemIdActionStatus](#))

- **Signer.FieldFil** Field NAME containing the file to be signed
- **Signer.FieldFilID** Field ID containing the file to be signed
- **Signer.FieldEmail** Field NAME containing the email of the signer
- **Signer.FieldCPR** Reserved for future use (specify any field)
- **Signer.ServerToken** Code to connect to the server (ask your TS contact)
- **Signer.StatusError** StatusID to set on the data if failed
- **Signer.StatusSigned** StatusID to set on the data if succes
- **Signer.EmailSubject** Header on the email sent to the signer
- **Signer.EmailBody** Content of the email sent to the signer

In addition the following entity configurations must be set

- **Signer.TemplateID** What template to use to generate the output

- **Signer.FieldID** Field to store the output in
- **Signer.FileName** Name of the output file (ex. "contract.docx")

Developer info

- Type: CodeunitStatusaction
- Security: none
- Classpath: dk.tempusserva.signing.nemid.SignNemIdActionStatusGenerator

ChangeParentStatusAction

What it does

Changes the status of a parent record, once all siblings are in a given state(status).

First setup

Set the variables

- myParentField
- parentStatusID

How to invoke

Add a status action that invokes this codeunit.

Options

If the setup is unconventional you can overwrite the parent reference, using a config named "parentEntity" and you can include records in "hidden" states by setting "excludeHiddenStatus" to "false".

Configuration

All configs for this codeunit support adding ".[StatusID]" add the end of the config name, to set a specific value, for that status. Otherwise the codeunit will fallback to the config without ".[StatusID]" at the end.

Developer info

- Type: CodeunitStatusaction
- Security: none
- Classpath: com.tsnocode.codeunit.common.ChangeParentStatusAction

Set Date On Status

What it does

Sets one or more fields to today's date when the codeunit is run.

First setup

Create a Configuration on the entity named "SetDateOnStatus.[StatusID]", which contains the system name(s) of the field(s) to be corrected.

If multiple fields, separate with spaces.

How to invoke

Add the codeunit to a status action.

Configuration

[All possible configurations and where to edit them]

Developer info

- Type: CodeunitStatusaction
- Security: access to the record
- Classpath: com.tsnocode.codeunit.common.SetDateOnStatus