

Value dependencies

Using lookup select boxes you can set up complex dependencies between values. The target field will be filtered when the page loads and on all changes to the filter field(s).

Single dependency

```
lookupValueFilterOnChange(fieldNameTarget, fieldNameSource, tripleArrayOfConditions);
```

```
var conditions = [  
    [ TargetValue, SourceValue ... ],  
];
```

```
var conditions = [  
    ["Ding", "Foo"],  
    ["Dong", "Foo"],  
    ["Ding", "Bar"],  
];  
lookupValueFilterOnChange("LOOKUP", "FILTER", conditions);
```

In the above "Ding" and "Dong" will be available to select when FILTER = "Foo"

Double dependency

```
lookupValueFilterDoubleOnChange(fieldNameTarget, fieldNameSource1, fieldNameSource2,  
tripleArrayOfConditions);
```

```
var conditions = [  
    ["Ding", "Foo", "Cat"],  
    ["Dong", "Foo", "Dog"],  
    ["Ding", "Bar", "Cat"],  
    ["Dong", "Bar", "Fish"],  
];  
lookupValueFilterDoubleOnChange("LOOKUP", "FILTERA", "FILTERB", conditions);
```

In the above "Ding" will be available to select when either :

- FILTERA = "Foo" -AND- FilterB = "Cat"
 - FILTERA = "Bar" -AND- FilterB = "Cat"
-

Revision #1

Created 25 March 2025 15:03:09 by Theis Villumsen

Updated 25 March 2025 15:03:43 by Theis Villumsen